AQUACULTURE FEED & EQUIPMENT

# BNH

















(水車類) AERATOR

水車類 AERATOR



#### Paddle Wheel Aerator

BNH Paddle Wheel Aerator offer pond aeration for increase dissolve oxygen, surface aeration create water current for pond and other aeration purposes.

We do provide high quality of products with high efficiency of performance.



# Characteristics

- · Best Quality Silicon Steel Plate.
- Energy Saving.
  High Oxygenation Performance From Unique Design.
- Sturdy Stainless Steel Frame Ensure Without Any Deformation.
- Easy Maintenance.
   The Unique Aerator Electric Motor Made Under ISO System.

## BNH Paddle Wheel Aerator with the following features

#### Features

- (ISO Standard). High Quality of Electric Induction Motor
- High Quality of Electric Induction Motor
   Low Friction coefficient of Speed Reducer (ISO Standard).
   Strong and Durable Worm gear Design (CNS Standard).
- Smooth Rotation with low resistance to Output Shaft to decrease
- energy consumption. Professional designed paddle and best blade angle and substantial water splash and strong water.
- High performance Nylon Impeller.
- Replaceable Paddle and low maintenance cost.
- High Oxygenation performance.
- Made of Stainless 304 for the Framing materials and Shaft.
  - HDPE Float and Highly Durable.

### (水車類) **AERATOR**

#### 

 Manufacturer preserves the rights to change specification without prior notice.







# 浮船式(打水增氧)水車

BOAT TYPE PLASTIC PADDLE WHEEL AERATOR





P50035 P50036 P50037 P50038

產品 名稱 規格								
BOAT TYPE PLASTIC PADDLE WHEEL AERATOR								
產品編號	馬力	相位	電壓/頻率	十字接頭	減速齒輪	葉輪	馬達	馬達蓋
Product #	HP	PHASE	V / HZ	MOVABLE JOINT	REDUCER	IMPELLERS	MOTOR	MOTOR COVER
P50035	1	1	220 / 60	2	1	2	1	1
P50036	1	3	220 / 60	2	1	2	1	1
P50037	1	3	220 / 60	2	1	2	1	1
P50038	1	1	220 / 60	2	1	2	1	1
( PADDLE WHEEL AERATOR SATELLITE PARTS )								
二葉單層架	浮船	螺絲	螺帽/華司	電纜線	白色塑膠座	定位桿(亞管)	傳動軸(白鐵心)	電磁開關
CHAS	FLOATS	BOLT	NUT / WASHE	CABLE	HOLDER	SETTING BAR	SHAFT	SWITCH
1	2	24	20 / 32	20	2	2	2	1
1	2	24	20 / 32	20	2	2	2	1
1	2	24	20 / 20	20	2	2	2	1
1	2	24	20 / 20	20	2	2	2	1

Note: All data subject to alteration without notice. (上述產品規格如有變動, 忽不另行通知。)



